



Revision date: 07-Dec-2016

Version: 1.1

Hospira UK Limited

Maidenhead, SL6 6RJ United Kingdom

Emergency telephone number:

International CHEMTREC (24 hours): +1-703-527-3887

Horizon

Hurley

Honev Lane

Page 1 of 9

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING Product Identifier

Material Name: Dextran in Sodium Chloride Injection (Hospira, Inc.)

Trade Name: Chemical Family: LMD in Sodium Chloride Injection Not determined

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against Intended Use: Pharmaceutical product

Details of the Supplier of the Safety Data Sheet Hospira, A Pfizer Company 275 North Field Drive Lake Forest, Illinois 60045 1-800-879-3477

Emergency telephone number: CHEMTREC (24 hours): 1-800-424-9300 Contact E-Mail: pfizer-MSDS@pfizer.com

2. HAZARDS IDENTIFICATION

Classification of the Substance or Mixture GHS - Classification Not classified as hazardous

Label Elements Signal Word: Hazard Statements:	Not Classified Not classified in accordance with international standards for workplace safety.
Other Hazards	An Occupational Exposure Value has been established for one or more of the ingredients (see Section 8).
Note:	This document has been prepared in accordance with standards for workplace safety, which requires the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warning included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous

Material Name: Dextran in Sodium Chloride Injection (Hospira, Inc.) Revision date: 07-Dec-2016 Page 2 of 9

Version: 1.1

Ingredient	CAS Number	EU	GHS Classification	%
		EINECS/ELINCS		
		List		
Sodium chloride	7647-14-5	231-598-3	Not Listed	*
Sodium hydroxide	1310-73-2	215-185-5	Skin Corr.1A (H314)	**
HYDROCHLORIC ACID	7647-01-0	231-595-7	Skin Corr.1B (H314)	**
			STOT SE 3 (H335)	

Ingredient	CAS Number	EU EINECS/ELINCS List	GHS Classification	%
Water for Injection	7732-18-5	231-791-2	Not Listed	*
Dextran	9004-54-0	232-677-5	Not Listed	10

Additional Information:

* Proprietary

** to adjust pH

Ingredient(s) indicated as hazardous have been assessed under standards for workplace safety. In accordance with 29 CFR 1910.1200, the exact percentage composition of this mixture has been withheld as a trade secret.

For the full text of the CLP/GHS abbreviations mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Description of First Aid Measures	
Eye Contact:	Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention immediately.
Skin Contact:	Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek medical attention.
Ingestion:	Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not induce vomiting unless directed by medical personnel. Seek medical attention immediately.
Inhalation:	Remove to fresh air and keep patient at rest. Seek medical attention immediately.
Most Important Symptoms and Effe	ects, Both Acute and Delayed
Symptoms and Effects of	No data available
Exposure: Medical Conditions	None known
Aggravated by Exposure:	
Indication of the Immediate Medica	I Attention and Special Treatment Needed
Notes to Physician:	None
5. FIRE FIGHTING MEASURE	S
Extinguishing Media:	Extinguish fires with CO2, extinguishing powder, foam, or water.
Special Hazards Arising from the S	ubstance or Mixture
Lienendeue Cembustien	Formation of taxia gappa is possible during beating or fire

Hazardous Combustion Products:	Formation of toxic gases is possible during heating or fire.

Fire / Explosion Hazards: Fine particles (such as dust and mists) may fuel fires/explosions.

Advice for Fire-Fighters

During all fire fighting activities, wear appropriate protective equipment, including self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

Environmental Precautions

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

Methods and Material for Containme	ent and Cleaning Up
Measures for Cleaning /	Contain the source of the spill if it is safe to do so. Absorb spills with non-combustible
Collecting:	absorbent material and transfer into a labeled container for disposal.
Additional Consideration for Large Spills:	Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Avoid breathing vapor or mist. Avoid contact with eyes, skin and clothing. When handling, use appropriate personal protective equipment (see Section 8). Wash thoroughly after handling. Releases to the environment should be avoided. Review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure or environmental releases. Potential points of process emissions of this material to the atmosphere should be controlled with dust collectors, HEPA filtration systems or other equivalent controls.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions:Store as directed by product packaging.Specific end use(s):Pharmaceutical product

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Refer to available public information for specific member state Occupational Exposure Limits.

Sodium chloride	
Latvia OEL - TWA	5 mg/m³
Lithuania OEL - TWA	5 mg/m ³
Sodium hydroxide	
ACGIH Ceiling Threshold Limit:	2 mg/m ³
Australia PEAK	2 mg/m ³
Austria OEL - MAKs	2 mg/m ³
Bulgaria OEL - TWA	2.0 mg/m ³
Czech Republic OEL - TWA	1 mg/m³
Estonia OEL - TWA	1 mg/m ³
France OEL - TWA	2 mg/m ³
Greece OEL - TWA	2 mg/m ³
Hungary OEL - TWA	2 mg/m ³
Japan - OELs - Ceilings	2 mg/m ³
Latvia OEL - TWA	0.5 mg/m ³
OSHA - Final PELS - TWAs:	2 mg/m ³

Material Name: Dextran in Sodium Chloride Injection (Hospira, Inc.) Revision date: 07-Dec-2016

Page 4 of 9

Version: 1.1

KPOSURE CONTROLS / PERSONAL F	
Poland OEL - TWA	0.5 mg/m ³
Slovakia OEL - TWA	2 mg/m ³
Slovenia OEL - TWA	2 mg/m ³
Sweden OEL - TWAs	1 mg/m ³
Switzerland OEL -TWAs	2 mg/m ³
	5
ROCHLORIC ACID	
ACGIH Ceiling Threshold Limit:	2 ppm
Australia PEAK	5 ppm
	7.5 mg/m ³
Austria OEL - MAKs	5 ppm
	8 mg/m ³
Belgium OEL - TWA	5 ppm
-	8 mg/m ³
Bulgaria OEL - TWA	5 ppm
-	8.0 mg/m ³
Cyprus OEL - TWA	5 ppm
	8 mg/m ³
Czech Republic OEL - TWA	8 mg/m ³
Estonia OEL - TWA	5 ppm
	8 mg/m ³
Germany - TRGS 900 - TWAs	2 ppm
	3 mg/m^3
Germany (DFG) - MAK	2 ppm
	3.0 mg/m^3
Greece OEL - TWA	5 ppm
	7 mg/m ³
Hungary OEL - TWA	8 mg/m ³
Ireland OEL - TWAs	5 ppm
	8 mg/m ³
Italy OEL - TWA	5 ppm
	8 mg/m ³
Japan - OELs - Ceilings	2 ppm
	3.0 mg/m ³
Latvia OEL - TWA	5 ppm
	8 mg/m ³
Lithuania OEL - TWA	5 ppm
	8 mg/m ³
Luxembourg OEL - TWA	5 ppm
	8 mg/m ³
Malta OEL - TWA	5 ppm
	8 mg/m ³
Netherlands OEL - TWA	8 mg/m ³
Poland OEL - TWA	5 mg/m ³
Portugal OEL - TWA	5 ppm
	8 mg/m ³
Romania OEL - TWA	5 ppm
	8 mg/m ³
Slovakia OEL - TWA	5 ppm
	8.0 mg/m ³
Slovenia OEL - TWA	5 ppm
	8 mg/m ³
	o my/m

Material Name: Dextran in Sodium Chloride Injection (Hospira, Inc.) Revision date: 07-Dec-2016 Page 5 of 9

Version: 1.1

No data available.

No data available.

Mixture

Spain OEL - TWA	5 ppm	
	7.6 mg/m ³	
Switzerland OEL -TWAs	2 ppm	
	3.0 mg/m ³	
Vietnam OEL - TWAs	5 mg/m^3	

The purpose of the Occupational Exposure Band (OEB) classification system is to separate substances into different Hazard categories when the available data are sufficient to do so, but inadequate to establish an Occupational Exposure Limit (OEL). The OEB given is based upon an analysis of all currently available data; as such, this value may be subject to revision when new information becomes available.

Sodium chloride

Pfizer Occupational Exposure OEB 1 (control exposure to the range of 1000ug/m³ to 3000ug/m³) **Band (OEB):**

Exposure Controls Engineering Controls:	Engineering controls should be used as the primary means to control exposures. General room ventilation is adequate unless the process generates dust, mist or fumes. Keep airborne contamination levels below the exposure limits listed above in this section.
Personal Protective Equipment:	Refer to applicable national standards and regulations in the selection and use of personal protective equipment (PPE). Contact your safety and health professional or safety equipment supplier for assistance in selecting the correct protective clothing/equipment based on an assessment of the workplace conditions, other chemicals used or present in the workplace and specific operational processes.
Hands:	Impervious gloves (e.g. Nitrile, etc.) are recommended if skin contact with drug product is possible and for bulk processing operations. (Protective gloves must meet the standards in accordance with EN374, ASTM F1001 or international equivalent.)
Eyes:	Wear safety glasses or goggles if eye contact is possible. (Eye protection must meet the standards in accordance with EN166, ANSI Z87.1 or international equivalent.)
Skin:	Impervious protective clothing is recommended if skin contact with drug product is possible and for bulk processing operations. (Protective clothing must meet the standards in accordance with EN13982, ANSI 103 or international equivalent.)
Respiratory protection:	Under normal conditions of use, if the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures to below the OEL (e.g. particulate respirator with a half mask, P3 filter). (Respirators must meet the standards in accordance with EN140, EN143, ASTM F2704-10 or international equivalent.)

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Liquid solution	Color:
Odor:	No data available.	Odor Threshold:
Molecular Formula:	Mixture	Molecular Weight:
Solvent Solubility: Water Solubility: pH: Melting/Freezing Point (°C): Boiling Point (°C): Partition Coefficient: (Method, pl Dextran No data available	No data available No data available 3.5-7.0 No data available No data available. I, Endpoint, Value)	

Material Name: Dextran in Sodium Chloride Injection (Hospira, Inc.) Revision date: 07-Dec-2016

Page 6 of 9

Version: 1.1

9. PHYSICAL AND CHEMICAL PROPERTIES

Sodium chloride No data available Sodium hydroxide No data available HYDROCHLORIC ACID No data available Water for Injection No data available Decomposition Temperature (°C): No data available.

Evaporation Rate (Gram/s):No data availableVapor Pressure (kPa):No data availableVapor Density (g/ml):No data availableRelative Density:No data availableViscosity:No data available

Flammablity: Autoignition Temperature (Solid) (°C): Flammability (Solids): Flash Point (Liquid) (°C): Upper Explosive Limits (Liquid) (% by Vol.): Lower Explosive Limits (Liquid) (% by Vol.):

No data available No data available No data available No data available No data available

10. STABILITY AND REACTIVITY

Reactivity:No data availableChemical Stability:Stable under normal conditions of use.Possibility of Hazardous ReactionsNo data availableOxidizing Properties:No data availableConditions to Avoid:Fine particles (such as dust and mists) may fuel fires/explosions.Incompatible Materials:As a precautionary measure, keep away from strong oxidizersHazardous DecompositionNo data availableProducts:No data available

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects	
General Information:	The information included in this section describes the potential hazards of the individual
	ingredients.
Known Clinical Effects:	Serious allergic reactions, including anaphylaxis, have been reported.

Acute Toxicity: (Species, Route, End Point, Dose)

Dextran

Rat Oral LD50 > 3000 mg/kg

Sodium chloride

Rat Oral LD50 3000 mg/kg Mouse Oral LD50 4000 mg/kg

Material Name: Dextran in Sodium Chloride Injection (Hospira, Inc.) Revision date: 07-Dec-2016 Page 7 of 9

Version: 1.1

11. TOXICOLOGICAL INFORMATION

Sodium hydroxide Mouse IP LD50 40 mg/kg

Acute Toxicity Comments:

HYDROCHLORIC ACID Rat Oral LD 50 238-277 mg/kg

A greater than symbol (>) indicates that the toxicity endpoint being tested was not achievable at the highest dose used in the test.

Irritation / Sensitization: (Study Type, Species, Severity)

Sodium chloride

Eye IrritationRabbitModerateSkin IrritationRabbitMild

Sodium hydroxide

Eye Irritation Rabbit Severe Skin Irritation Rabbit Severe

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

=	<i>Calmonella</i> Negative gative
Carcinogen Status:	None of the components of this formulation are listed as a carcinogen by IARC, NTP or OSHA.
HYDROCHLORIC ACID IARC:	Group 3 (Not Classifiable)

12. ECOLOGICAL INFORMATION

Environmental Overview:	Environmental properties have not been investigated. Releases to the environment should be avoided.
Toxicity:	No data available
Persistence and Degradability:	No data available
Bio-accumulative Potential:	No data available
Mobility in Soil:	No data available

Material Name: Dextran in Sodium Chloride Injection (Hospira, Inc.) Revision date: 07-Dec-2016

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods:Dispose of waste in accordance with all applicable laws and regulations. Member State
specific and Community specific provisions must be considered. Considering the relevant
known environmental and human health hazards of the material, review and implement
appropriate technical and procedural waste water and waste disposal measures to prevent
occupational exposure and environmental release. It is recommended that waste minimization
be practiced. The best available technology should be utilized to prevent environmental
releases. This may include destructive techniques for waste and wastewater.

14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Sodium chloride	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	231-598-3
Sodium hydroxide	
CERCLA/SARA 313 Emission reporting	Not Listed
CERCLA/SARA Hazardous Substances	1000 lb
and their Reportable Quantities:	454 kg
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
Standard for the Uniform Scheduling	Schedule 5
for Drugs and Poisons:	Schedule 6
EU EINECS/ELINCS List	215-185-5
Water for Injection	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present

Page 8 of 9

Version: 1.1

Material Name: Dextran in Sodium Chloride Injection (Hospira, Inc.) Revision date: 07-Dec-2016

15. REGULATORY INFORMATION	
REACH - Annex IV - Exemptions from the	Present
obligations of Register:	
EU EINECS/ELINCS List	231-791-2
HYDROCHLORIC ACID	
CERCLA/SARA 313 Emission reporting	1.0 %
CERCLA/SARA Hazardous Substances	5000 lb
and their Reportable Quantities:	2270 kg
CERCLA/SARA - Section 302 Extremely Hazardous	500 lb
TPQs	
CERCLA/SARA - Section 302 Extremely Hazardous	5000 lb
Substances EPCRA RQs	
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
Standard for the Uniform Scheduling	Schedule 5
for Drugs and Poisons:	Schedule 6
EU EINECS/ELINCS List	231-595-7
Dextran	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	232-677-5

16. OTHER INFORMATION

Text of CLP/GHS Classification abbreviations mentioned in Section 3

Skin corrosion/irritation-Cat.1A; Skin corrosion/irritation-Cat.1B; H314 - Causes severe skin burns and eye damage Specific target organ toxicity, single exposure; Respiratory tract irritation-Cat.3; H373 - May cause damage to organs through prolonged or repeated exposure

Data Sources:	Safety data sheets for individual ingredients. Publicly available toxicity information.
Reasons for Revision:	Updated Section 8 - Exposure Controls / Personal Protection.
Revision date:	07-Dec-2016 Product Stewardship Hazard Communication
Prepared by:	Pfizer Global Environment, Health, and Safety Operations

Pfizer Inc believes that the information contained in this Material Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet

Page 9 of 9

Version: 1.1